

## SAVA Guidelines on Practice Services during Covid-19 Lockdown

April 2020

Ver 2.0

GENERAL VETERINARY SERVICES

\* Veterinarians must, with each case, consider whether postponing an intervention could lead to problems related to intake and digestion of food and drink, reproduction (including unwanted offspring), discomfort/distress for the animal and/or behavioural problems and thus be detrimental to sound health and welfare.

Service	Level 5	Level 4	Level 3	Level 2	Level 1
Wellness visits	Postpone.	Allowed with Social	Allowed with Social	Allowed with Social	Allowed with Social
		Distancing	Distancing	Distancing	Distancing
Animal food sales	Continue but maintain	Allowed with Social	Allowed with Social	Allowed with Social	Allowed with Social
	social distancing (see	Distancing	Distancing	Distancing	Distancing
	below), arrange delivery				
	or use eCommerce.				
	No. 1 allo and	WALLS STATISTICS	*Alla addalada tata		Aller and the Control
Other Vetshop Sales	Not allowed	*Allowed taken into	*Allowed taken into	Allowed with Social	Allowed with Social
		consideration:	consideration:	Distancing	Distancing
		# Ingestion/digestion	# Ingestion/digestion		
		challenges	challenges		
		# Reproduction	# Reproduction		
		challenges	challenges		
		# Discomfort/Distress	# Discomfort/Distress		
		# Behavioural	# Behavioural		
		challenges	challenges		
		and Social Distancing	and Social Distancing		
Medication refills	Continue but maintain	Allowed with Social	Allowed with Social	Allowed with Social	Allowed with Social
	social distancing (see	Distancing.	Distancing.	Distancing	Distancing

Service	Level 5	Level 4	Level 3	Level 2	Level 1
	below), arrange drop-off or use eCommerce.	Arrange drop-offs if possible.	Arrange drop-offs if possible.		
Rabies vaccination (1)	Routine vaccination (including previously unvaccinated animals) can be reasonably postponed if the owner is able to manage the animal in such a way as to minimize the risk of exposure until the animal can be vaccinated	Allowed with Social Distancing	Allowed with Social Distancing	Allowed with Social Distancing	Allowed with Social Distancing
Other vaccinations	Administer boosters of vaccine series that have started if deemed necessary based on the animal's condition and circumstances (e.g. risk of exposure). Postpone other vaccinations if the risk of exposure can be managed otherwise in the interim.	Allowed with Social Distancing	Allowed with Social Distancing	Allowed with Social Distancing	Allowed with Social Distancing
Flea/tick preventives	Dispense to established clients, maintaining social distancing or arranging for drop-off or delivery Establish VCPR via telemedicine for new	Allowed with Social Distancing	Allowed with Social Distancing	Allowed with Social Distancing	Allowed with Social Distancing

Service	Level 5	Level 4	Level 3	Level 2	Level 1
	clients prior to				
	dispensing.				
Life threatening	Provide appropriate	Allowed with Social	Allowed with Social	Allowed with Social	Allowed with Social
conditions	emergency care.	Distancing	Distancing	Distancing	Distancing
Management of	Manage by telemedicine	Allowed with Social	Allowed with Social	Allowed with Social	Allowed with Social
Pain/Injury or Disease	when possible. If	Distancing	Distancing	Distancing	Distancing
	examination is indeed				
	needed, admit for				
	examination,				
	maintaining necessary				
	precautions and social				
	distancing.				
Management of chronic	Maintain by	*Allowed taken into	*Allowed taken into	Allowed with Social	Allowed with Social
conditions	telemedicine where	consideration:	consideration:	Distancing	Distancing
	possible. Schedule	# Ingestion/digestion	# Ingestion/digestion	Ŭ	Ŭ
	appointment if	challenges	challenges		
	examination is needed if	# Reproduction	# Reproduction		
	a delay would likely lead	challenges	challenges		
	to a negative patient	# Discomfort/Distress	# Discomfort/Distress		
	outcome.	# Behavioural	# Behavioural		
		challenges	challenges		
		and Social Distancing	and Social Distancing		
Surgical procedures for	If the patient can be	Allowed with Social	Allowed with Social	Allowed with Social	Allowed with Social
painful disorders	temporarily maintained	Distancing	Distancing	Distancing	Distancing
	on analgesics with a low				
	risk of negative				
	consequences, delay the				
	surgery. If not, proceed				
<u> </u>	with the surgery.				

Service	Level 5	Level 4	Level 3	Level 2	Level 1
Other non-urgent	Postpone.	*Allowed taken into	*Allowed taken into	Allowed with Social	Allowed with Social
surgical procedures		consideration:	consideration:	Distancing	Distancing
		# Ingestion/digestion	# Ingestion/digestion		
		challenges	challenges		
		# Reproduction	# Reproduction		
		challenges	challenges		
		# Discomfort/Distress	# Discomfort/Distress		
		# Behavioural	# Behavioural		
		challenges	challenges		
		and Social Distancing	and Social Distancing		
Routine hematologic	This should be	*Allowed taken into	*Allowed taken into	Allowed with Social	Allowed with Social
monitoring	postponed unless there	consideration:	consideration:	Distancing	Distancing
	are valid reasons that a	# Ingestion/digestion	# Ingestion/digestion		
	delay would	challenges	challenges		
	substantially increase	# Reproduction	# Reproduction		
	the risk of	challenges	challenges		
	complications.	# Discomfort/Distress	# Discomfort/Distress		
		# Behavioural	# Behavioural		
		challenges	challenges		
		and Social Distancing	and Social Distancing		
Routine faecal/urine	Only tests that are	*Allowed taken into	*Allowed taken into	Allowed with Social	Allowed with Social
testing	necessary to enable	consideration:	consideration:	Distancing	Distancing
	relevant clinical	# Ingestion/digestion	# Ingestion/digestion		
	intervention should be	challenges	challenges		
	done. Where these	# Reproduction	# Reproduction		
	samples can be collected	challenges	challenges		
	by the owner and	# Discomfort/Distress	# Discomfort/Distress		
	dropped off without	# Behavioural	# Behavioural		
	social interaction,	challenges	challenges		
	testing can be	and Social Distancing	and Social Distancing		
	performed. Packages				

Service	Level 5	Level 4	Level 3	Level 2	Level 1
	should be handled by personnel wearing gloves and a lab coat, and handled as potentially infectious. Containers should be wiped with a disinfectant. If containers are retained (e.g. for subsequent testing) they should be placed in a new sealable bag.				
Euthanasia	Humane euthanasia should proceed, limiting social interactions as much as is reasonable while respecting the needs of the human- animal bond. Consider necessary PPE for staff if the animal is from a high-risk household.	Allowed with Social Distancing	Allowed with Social Distancing	Allowed with Social Distancing	Allowed with Social Distancing
House Calls/Farm Calls/Herd and Flock Management/Wildlife Interventions	House calls should be avoided as far as possible. Veterinarians should not do house calls to do routine work, i.e. vaccinations. Surgery should also not be	*Allowed taken into consideration: # Ingestion/digestion challenges # Reproduction challenges # Discomfort/Distress	*Allowed taken into consideration: # Ingestion/digestion challenges # Reproduction challenges # Discomfort/Distress	Allowed with Social Distancing	Allowed with Social Distancing

Service	Level 5	Level 4	Level 3	Level 2	Level 1
Service Chemotherapy	Level 5 performed at a client's home, unless in a medical emergency. Continue ongoing treatment while maintaining social distancing. If possible, consider alternate regimes that may spare PPE supplies (e.g. oral) if there is minimal risk of a	Level 4 # Behavioural challenges and Social Distancing * Allowed taken into consideration: # Ingestion/digestion challenges # Reproduction challenges # Discomfort/Distress # Behavioural	Level 3 # Behavioural challenges and Social Distancing *Allowed taken into consideration: # Ingestion/digestion challenges # Reproduction challenges # Discomfort/Distress # Behavioural	Level 2	Level 1 Allowed with Social Distancing
	negative impact on the animal's condition. Consider the clinical implications of delays when deciding whether to start new chemotherapy treatment regimens	and Social Distancing	and Social Distancing		
Boarding, day care, grooming, and other ancillary services	Discontinue.	*Allowed taken into consideration: # Ingestion/digestion challenges # Reproduction challenges # Discomfort/Distress # Behavioural challenges and Social Distancing	*Allowed taken into consideration: # Ingestion/digestion challenges # Reproduction challenges # Discomfort/Distress # Behavioural challenges and Social Distancing	Allowed with Social Distancing	Allowed with Social Distancing
Sterilisations	Elective sterilisation must be postponed.	*Allowed taken into consideration:	*Allowed taken into consideration:	Allowed with Social Distancing	Allowed with Social Distancing

Service	Level 5	Level 4	Level 3	Level 2	Level 1
	Sterilisation only if	# Ingestion/digestion	# Ingestion/digestion		
	medical emergency.	challenges	challenges		
		# Reproduction	# Reproduction		
		challenges	challenges		
		# Discomfort/Distress	# Discomfort/Distress		
		# Behavioural	# Behavioural		
		challenges	challenges		
		and Social Distancing	and Social Distancing		
Mass Sterilisation	Not Allowed	Allowed in the interest			
campaigns		of Animal Welfare with			
		Social Distancing	Social Distancing	Social Distancing	Social Distancing
		Procedures	Procedures	Procedures	Procedures
Mild to moderate skin	Use telemedicine.	*Allowed taken into	*Allowed taken into	Allowed with Social	Allowed with Social
cases		consideration:	consideration:	Distancing	Distancing
		# Ingestion/digestion	# Ingestion/digestion		
		challenges	challenges		
		# Reproduction	# Reproduction		
		challenges	challenges		
		# Discomfort/Distress	# Discomfort/Distress		
		# Behavioural	# Behavioural		
		challenges	challenges		
		and Social Distancing	and Social Distancing		
Mild to moderate	Advise client to withhold	*Allowed taken into	*Allowed taken into	Allowed with Social	Allowed with Social
gastro	food and should self-	consideration:	consideration:	Distancing	Distancing
	cure in most cases.	# Ingestion/digestion	# Ingestion/digestion		
	Follow up with client	challenges	challenges		
	daily. If required,	# Reproduction	# Reproduction		
	schedule a consult as	challenges	challenges		
	per the guidelines.	# Discomfort/Distress	# Discomfort/Distress		
		# Behavioural	# Behavioural		
		challenges	challenges		
		and Social Distancing	and Social Distancing		

Service	Level 5	Level 4	Level 3	Level 2	Level 1
Heart/kidney/liver failure	Treat as emergency.	Treat as emergency.	Treat as emergency.	Treat as emergency.	Treat as emergency.
Post-operative check-	Clients can remove	*Allowed taken into	*Allowed taken into	Allowed with Social	Allowed with Social
ups	stitches themselves	consideration:	consideration:	Distancing	Distancing
	under proper advice by	# Ingestion/digestion	# Ingestion/digestion		
	veterinarian. Follow up	challenges	challenges		
	x-ray to be postponed.	# Reproduction	# Reproduction		
	Use telemedicine.	challenges	challenges		
		# Discomfort/Distress	# Discomfort/Distress		
		# Behavioural	# Behavioural		
		challenges	challenges		
		and Social Distancing	and Social Distancing		
Primary Animal	Support to all primary	Allowed with Social	Allowed with Social	Allowed with Social	Allowed with Social
Production	animal production	Distancing	Distancing	Distancing	Distancing
	facilities to continue,				
	including distribution of				
	semen to ensure				
	breeding cycle is not				
	interrupted.				
Animal Disease Control	Outbreak response for	Allowed with Social	Allowed with Social	Allowed with Social	Allowed with Social
	FMD, ASF, HPAI, rabies	Distancing	Distancing	Distancing	Distancing
	and buffalo escapes are				
	declared essential.				
	Routine vaccination,				
	surveillance and				
	laboratory work should				
	be postponed.				
Diagnostic Services	Veterinary diagnostic	*Allowed taken into	*Allowed taken into	Allowed with Social	Allowed with Social
	services for animal	consideration:	consideration:	Distancing	Distancing
	diseases and food safety	# Ingestion/digestion	# Ingestion/digestion		
	to continue, excluding	challenges	challenges		
	services not related to				

Service	Level 5	Level 4	Level 3	Level 2	Level 1
	supporting therapeutic,	# Reproduction	# Reproduction		
	preventative and control	challenges	challenges		
	measures.	# Discomfort/Distress	# Discomfort/Distress		
		# Behavioural	# Behavioural		
		challenges	challenges		
		and Social Distancing	and Social Distancing		
Emergency Veterinary	Allowed with Social	Allowed with Social	Allowed with Social	Allowed with Social	Allowed with Social
Services	Distancing	Distancing	Distancing	Distancing	Distancing
Animal Welfare	All individuals	Allowed with Social	Allowed with Social	Allowed with Social	Allowed with Social
	authorised to enforce	Distancing	Distancing	Distancing	Distancing
	the Animal Protection				
	Act, 1962 (Act 71 of				
	1962) as amended and				
	Performing Animals				
	Protection Act, 1935				
	(Act 24 of 1935) as				
	amended are expected				
	to provide the necessary				
	enforcement.				
Import and Export	Provision of import and	Allowed with Social	Allowed with Social	Allowed with Social	Allowed with Social
	export facilitation by	Distancing	Distancing	Distancing	Distancing
	Veterinary Services will				
	be limited to facilitation				
	for food of animal origin,				
	feed for food producing				
	animals, live food-				
	producing animals,				
	facilitation for welfare				
	purposes and pets				
	accompanying people to				
	be evacuated.				

Service	Level 5	Level 4	Level 3	Level 2	Level 1
Regulatory Veterinary	Monitoring of facilities	Allowed with Social	Allowed with Social	Allowed with Social	Allowed with Social
Public Health	registered under the	Distancing	Distancing	Distancing	Distancing
	Meat Safety Act, 2000				
	(Act 40 of 2000) is				
	regarded as essential.				
	This includes abattoirs,				
	cutting and processing				
	plants.				
Veterinary Supplies	Manufacturing,	Allowed with Social	Allowed with Social	Allowed with Social	Allowed with Social
	wholesaling, sale and	Distancing	Distancing	Distancing	Distancing
	distribution of				
	veterinary supplies such				
	as veterinary medicines,				
	clinical and surgical				
	material and animal				
	feed are declared as				
	essential operations.				
Law enforcement by	Law enforcement	Allowed with Social	Allowed with Social	Allowed with Social	Allowed with Social
state vet offices	activities by state	Distancing	Distancing	Distancing	Distancing
	veterinarians should be				
	prioritised to operations				
	that cannot wait for the				
	21 days, e.g. collection				
	of evidence that may				
	expire.				
Social Distancing	COVID 19 Plan in Place	COVID 19 Plan in Place	COVID 19 Plan in Place	COVID 19 Plan in Place	COVID 19 Plan in Place
	Compliance Employee	Compliance Employee	Compliance Employee	Compliance Employee	Compliance Employee
	appointed	appointed	appointed	appointed	appointed

Service	Level 5	Level 4	Level 3	Level 2	Level 1
	Compliance Employee's	Compliance Employee's	Compliance Employee's	Compliance Employee's	Compliance Employee's
	detail displayed at	detail displayed at	detail displayed at	detail displayed at	detail displayed at
	entrance	entrance	entrance	entrance	entrance
	Talanhania	Tolonhonia	Tolonhonia	Tolophonic	Tolonhonia
	Telephonic	Telephonic	Telephonic	Telephonic	Telephonic
	Appointments Only	Appointments Only	Appointments Only	Appointments Only	Appointments Only
	Fetch client at car	Fetch client at car	Fetch client at car	Limited Walk Inns	Limited Walk Inns
	Hand Sanitiser	Hand Sanitiser	Hand Sanitiser	Hand Sanitiser	Hand Sanitiser
	Staff and Client to wear masks	Staff and Client to wear masks			
	1.5 m Distance	1.5 m Distance	1.5 m Distance	1.5 m Distance	1.5 m Distance
	Electronic payments	Electronic payments	Electronic payments	Electronic payments as far as possible	Normal payment methods
Travelling	Essential service permit	Essential service permit	Essential service permit	Essential service permit	All movements allowed
	Issue client with	Issue client with	Issue client with	Issue client with	Issue client with
	electronic appointment	electronic appointment	electronic appointment	electronic appointment	electronic appointment
	letter	letter for all movements	letter for all movements	letter for movement to	letter for movement to
				higher level or for	higher level or for
				interprovincial travel	interprovincial travel
Staff Management	Staff Compliment to be	Staff Compliment to be			
	managed in terms of the	managed in terms of the			
	Workplace Risk	Workplace Risk	Workplace Risk	Workplace Risk	Workplace Risk
	Assessment and Covid-	Assessment and Covid-	Assessment and Covid-	Assessment and Covid-	Assessment and Covid-
	19 Workplace plan	19 Workplace plan	19 Workplace plan	19 Workplace plan	19 Workplace plan

Service	Level 5	Level 4	Level 3	Level 2	Level 1
	Rotation of critical staff	Rotation of critical staff	Full complement,	Full complement	Full complement
	recommended	recommended	managed in teams		
			where possible		
	PPE	PPE	PPE	PPE	PPE
	Daily Screening	Daily Screening	Daily Screening	Daily Screening	Daily Screening
	Train staff ito Covid 19	Train staff ito Covid 19	Train staff ito Covid 19	Train staff ito Covid 19	Train staff ito Covid 19